



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB129219

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1200-01	CHRT-24376	1	100.03	0.00	01/23/2024	13:30
2	P1200-01DUP	CHRT-24376DUP	1	100.02	0.00	01/23/2024	13:37
3	P1203-01	72-11977	1	100.04	0.00	01/23/2024	13:45
4	P1219-01	222177	1	100.06	0.00	01/23/2024	13:53
5	P1221-01	MH-B	1	100.08	0.00	01/23/2024	14:00
6	P1221-03	MH-A	1	100.06	0.00	01/23/2024	14:08

LB129219

WORKLIST(Hardcopy Internal Chain)

WorkList Name : paintfilter01/23/2024

WorkList ID : 177347

Department : Wet-Chemistry

Date : 01-23-2024 13:12:57

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1200-01	CHRT-24376	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	01/19/2024	9095B
P1203-01	72-11977	Solid	Paint Filter	Cool 4 deg C	PSEG03	E32	01/19/2024	9095B
P1219-01	222177	Solid	Paint Filter	Cool 4 deg C	PSEG03	E41	01/22/2024	9095B
P1221-01	MH-B	Solid	Paint Filter	Cool 4 deg C	PSEG03	E41	01/22/2024	9095B
P1221-03	MH-A	Solid	Paint Filter	Cool 4 deg C	PSEG03	E41	01/22/2024	9095B

Date/Time 01/23/2024 13:20
Raw Sample Received by: N.P. WC
Raw Sample Relinquished by: JBLWC1

Date/Time 01/23/2024 14:20
Raw Sample Received by: JBLWC1
Raw Sample Relinquished by: N.P. WC