

Analysis Method: 9034

ANALYST: Rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB129418

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2976
IODINE SOLUTION .025N 1L	W3050
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB158835BL		1	5.00	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	02/07/2024	08:45
2	P1141-02		1	5.02	50	2.00	0.00	1.90	1.90	0.10	0.02	1.59	02/07/2024	08:48
3	P1141-02DUP		1	5.03	50	2.00	0.00	1.90	1.90	0.10	0.02	1.59	02/07/2024	08:50
4	P1141-04		1	5.05	50	2.00	0.00	1.84	1.84	0.16	0.08	6.34	02/07/2024	08:53
5	P1141-06		1	5.03	50	2.00	0.00	1.88	1.88	0.12	0.04	3.18	02/07/2024	08:55
6	P1141-08		1	5.04	50	2.00	0.00	1.82	1.82	0.18	0.10	7.94	02/07/2024	08:58
7	P1141-10		1	5.04	50	2.00	0.00	1.90	1.90	0.10	0.02	1.59	02/07/2024	09:00
8	P1141-12		1	5.07	50	2.00	0.00	1.86	1.86	0.14	0.06	4.73	02/07/2024	09:02
9	P1355-03		1	5.02	50	2.00	0.00	1.86	1.86	0.14	0.06	4.78	02/07/2024	09:05
10	P1360-01		1	5.06	50	2.00	0.00	1.88	1.88	0.12	0.04	3.16	02/07/2024	09:08
11	P1360-02		1	5.02	50	2.00	0.00	1.88	1.88	0.12	0.04	3.19	02/07/2024	09:10
12	P1360-03		1	5.03	50	2.00	0.00	1.82	1.82	0.18	0.10	7.95	02/07/2024	09:13

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

Analysis Method: 9034

ANALYST: Rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB129418

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2976
IODINE SOLUTION .025N 1L	W3050
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
13	P1360-05		1	5.07	50	2.00	0.00	1.86	1.86	0.14	0.06	4.73	02/07/2024	09:15
14	P1367-02		1	5.03	50	2.00	0.00	1.82	1.82	0.18	0.10	7.95	02/07/2024	09:18
15	P1367-04		1	5.06	50	2.00	0.00	1.88	1.88	0.12	0.04	3.16	02/07/2024	09:20
16	P1367-06		1	5.07	50	2.00	0.00	1.90	1.90	0.10	0.02	1.58	02/07/2024	09:23
17	P1367-08		1	5.05	50	2.00	0.00	1.88	1.88	0.12	0.04	3.17	02/07/2024	09:25
18	P1367-10		1	5.02	50	2.00	0.00	1.88	1.88	0.12	0.04	3.19	02/07/2024	09:28
19	P1367-12		1	5.04	50	2.00	0.00	1.82	1.82	0.18	0.10	7.94	02/07/2024	09:30
20	P1367-14		1	5.06	50	2.00	0.00	1.82	1.82	0.18	0.10	7.91	02/07/2024	09:33

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume