



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB129468

BalanceID: WC SC-4

| Seq | LabID       | ClientID      | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|---------------|----------|-----------|------------------------|------------|-----------|
| 1   | P1421-01    | 72-11977      | 1        | 100.02    | 0.00                   | 02/09/2024 | 08:40     |
| 2   | P1421-01DUP | 72-11977DUP   | 1        | 100.04    | 0.00                   | 02/09/2024 | 08:48     |
| 3   | P1423-01    | TP-3          | 1        | 100.04    | 0.00                   | 02/09/2024 | 08:56     |
| 4   | P1428-01    | EO-01-020824  | 1        | 100.03    | 0.00                   | 02/09/2024 | 09:04     |
| 5   | P1435-01    | FRENCH-020724 | 1        | 100.05    | 0.00                   | 02/09/2024 | 09:12     |

LB129468

WORKLIST(Hardcopy Internal Chain)

| WorkList Name : 02/09/24 paint filter |                 | WorkList ID : 177779 |              | Department : Wet-Chemistry |          | Date : 02-09-2024 08:19:08  |                     |
|---------------------------------------|-----------------|----------------------|--------------|----------------------------|----------|-----------------------------|---------------------|
| Sample                                | Customer Sample | Matrix               | Test         | Preservative               | Customer | Raw Sample Storage Location | Collect Date Method |
| P1421-01                              | 72-11977        | Solid                | Paint Filter | Cool 4 deg C               | PSEG03   | E31                         | 02/08/2024 9095B    |
| P1423-01                              | TP-3            | Solid                | Paint Filter | Cool 4 deg C               | PSEG03   | E21                         | 02/08/2024 9095B    |
| P1428-01                              | EO-01-020824    | Solid                | Paint Filter | Cool 4 deg C               | PSEG05   | E21                         | 02/08/2024 9095B    |
| P1435-01                              | FRENCH-020724   | Solid                | Paint Filter | Cool 4 deg C               | PSEG03   | E21                         | 02/07/2024 9095B    |

Date/Time 02/09/2024 08:30  
Raw Sample Received by: N.P. W.C.  
Raw Sample Relinquished by: [Signature]

Date/Time 02/09/2024 09:25  
Raw Sample Received by: [Signature]  
Raw Sample Relinquished by: N.P. W.C.