



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB129502

BalanceID: WC SC-4

| Seq | LabID       | ClientID       | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|----------------|----------|-----------|------------------------|------------|-----------|
| 1   | P1446-01    | RT3475         | 1        | 100.04    | 0.00                   | 02/13/2024 | 11:20     |
| 2   | P1446-01DUP | RT3475DUP      | 1        | 100.02    | 0.00                   | 02/13/2024 | 11:28     |
| 3   | P1448-01    | HD-02-020924   | 1        | 100.03    | 0.00                   | 02/13/2024 | 11:36     |
| 4   | P1449-01    | ETGI-362       | 1        | 100.01    | 0.00                   | 02/13/2024 | 11:44     |
| 5   | P1450-01    | OR-02-02092024 | 1        | 100.03    | 0.00                   | 02/13/2024 | 11:52     |
| 6   | P1451-01    | OK-01-02092024 | 1        | 100.02    | 0.00                   | 02/13/2024 | 12:00     |
| 7   | P1453-01    | TP-3           | 1        | 100.01    | 0.00                   | 02/13/2024 | 12:08     |
| 8   | P1453-05    | TP-2           | 1        | 100.03    | 0.00                   | 02/13/2024 | 12:16     |
| 9   | P1454-01    | VNJ-241        | 1        | 100.03    | 0.00                   | 02/13/2024 | 12:24     |

LB-129502

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : 02/12/24 paint filter

WorkList ID : 177809

Department : Wet-Chemistry

Date : 02-12-2024 08:42:55

| Sample   | Customer Sample | Matrix | Test         | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|--------------|--------------|----------|-----------------------------|--------------|--------|
| P1446-01 | RT3475          | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | E21                         | 02/09/2024   | 9095B  |
| P1448-01 | HD-02-020924    | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | E21                         | 02/09/2024   | 9095B  |
| P1449-01 | ETGI-362        | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | E21                         | 02/09/2024   | 9095B  |
| P1450-01 | OR-02-02092024  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | E21                         | 02/09/2024   | 9095B  |
| P1451-01 | OK-01-02092024  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | E31                         | 02/09/2024   | 9095B  |
| P1453-01 | TP-3            | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | E21                         | 02/09/2024   | 9095B  |
| P1453-05 | TP-2            | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | E21                         | 02/09/2024   | 9095B  |
| P1454-01 | VNJ-241         | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | E21                         | 02/09/2024   | 9095B  |

Date/Time 02/13/2024 11:15

Raw Sample Received by: N.P. W.C.

Raw Sample Relinquished by: [Signature]

Date/Time 02/13/2024 12:40

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: N.P. W.C.