



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB129521

Reviewed By: Nikita
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1461-01	TP-2	1	100.04	0.00	02/14/2024	10:30
2	P1461-01DUP	TP-2DUP	1	100.02	0.00	02/14/2024	10:38
3	P1461-04	TP-1	1	100.03	0.00	02/14/2024	10:46
4	P1463-01	SP-F-COMP	1	100.01	0.00	02/14/2024	10:54
5	P1464-01	PN-1 (SOUTH-AREA)	1	100.06	0.00	02/14/2024	11:02
6	P1464-02	PN-2 (NORTH-AREA)	1	100.01	0.00	02/14/2024	11:10
7	P1464-03	PN-3 (SMALL-STOCK-PII)	1	100.02	0.00	02/14/2024	11:18

LB-129521

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf-02-13 WorkList ID : 177849 Department : Wet-Chemistry Date : 02-13-2024 09:33:46

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1461-01	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/12/2024	9095B
P1461-04	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/12/2024	9095B
P1463-01	SP-G-COMP	Solid	Paint Filter	Cool 4 deg C	EART12	E21	02/12/2024	9095B
P1464-01	PN-1(SOUTH-AREA)	Solid	Paint Filter	Cool 4 deg C	SAFE04	E21	02/09/2024	9095B
P1464-02	PN-2(NORTH-AREA)	Solid	Paint Filter	Cool 4 deg C	SAFE04	E21	02/09/2024	9095B
P1464-03	PN-3(SMALL-STOCK-PILE)	Solid	Paint Filter	Cool 4 deg C	SAFE04	E21	02/09/2024	9095B

Date/Time 02/14/2024 10:15
Raw Sample Received by: N.P.-W.C.
Raw Sample Relinquished by: [Signature]

Date/Time 02/14/2024 11:35
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: N.P.-W.C.