



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/15/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:25
In Date: 02/14/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:55
Out Date: 02/15/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB129526

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1443-01	MBH9Q7	1	1.15	8.83	9.98	8.73	85.8	
P1443-02	MBH9Q8	2	1.18	8.73	9.91	8.67	85.8	
P1443-03	MBH9T6	3	1.19	8.78	9.97	8.86	87.4	
P1443-04	MBH9T7	4	1.18	8.63	9.81	8.97	90.3	
P1443-06	MBH9Q9	5	1.13	8.56	9.69	8.62	87.5	
P1443-07	MBH9Q9D	6	1.13	8.56	9.69	8.62	87.5	
P1443-08	MBH9Q9S	7	1.13	8.56	9.69	8.62	87.5	
P1443-09	MBH9T8	8	1.17	8.35	9.52	8.37	86.2	
P1443-10	MBH9T9	9	1.19	8.58	9.77	9.6	98.0	
P1443-11	MBH9W0	10	1.15	8.78	9.93	8.66	85.5	
P1443-12	MBH9W1	11	1.14	8.64	9.78	9.46	96.3	
P1443-13	MBH9Q6	12	1.15	8.82	9.97	8.54	83.8	
P1443-14	MBH9S0	13	1.19	8.79	9.98	8.72	85.7	
P1443-15	MBH9T4	14	1.19	8.55	9.74	8.6	86.7	
P1443-16	MBH9T5	15	1.12	8.76	9.88	8.82	87.9	
P1443-17	MBH9W2	16	1.19	8.63	9.82	8.66	86.6	
P1443-18	MBH9W3	17	1.15	8.44	9.59	8.58	88.0	
P1443-20	MBH9R1	18	1.16	8.50	9.66	8.49	86.2	
P1443-21	MBH9R2	19	1.14	8.83	9.97	9.05	89.6	
P1443-22	MBH9R3	20	1.18	8.79	9.97	9.31	92.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$