



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB129541

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1472-01	TR-04-021424	1	100.04	0.00	02/15/2024	08:40
2	P1472-01DUP	TR-04-021424DUP	1	100.02	0.00	02/15/2024	08:48
3	P1473-01	SU-03-021424	1	100.03	0.00	02/15/2024	08:56
4	P1473-03	SU-04-021424	1	100.01	0.00	02/15/2024	09:04
5	P1483-01	RT-2327	1	100.04	0.00	02/15/2024	09:12
6	P1483-03	VNJ-205	1	100.02	0.00	02/15/2024	09:20

LB-129541

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 02/15/24 paint filter		WorkList ID : 177927		Department : Wet-Chemistry		Date : 02-15-2024 08:23:59	
Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date Method
P1472-01	TR-04-021424	Solid	Paint Filter	Cool 4 deg C	PSEG05	E21	02/14/2024 9095B
P1473-01	SU-03-021424	Solid	Paint Filter	Cool 4 deg C	PSEG05	E21	02/14/2024 9095B
P1473-03	SU-04-021424	Solid	Paint Filter	Cool 4 deg C	PSEG05	E21	02/14/2024 9095B
P1483-01	RT-2327	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/14/2024 9095B
P1483-03	VNJ-205	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/14/2024 9095B

Date/Time 02/15/2024 08:30
Raw Sample Received by: A.P. W.C.
Raw Sample Relinquished by: [Signature]

Date/Time 02/15/2024 09:46
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: A.P. W.C.