



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/19/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:25
In Date: 02/16/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:55
Out Date: 02/17/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB129572

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1469-01	BH9R0	1	1.18	8.42	9.6	8.67	89.0	
P1469-02	BH9R0MS	2	1.18	8.42	9.6	8.67	89.0	
P1469-03	BH9R0MSD	3	1.18	8.42	9.6	8.67	89.0	
P1469-04	VHBLK001	4	1.00	1.00	2.00	2.00	100.0	vhblk
P1469-05	BH9W6	5	1.18	8.59	9.77	8.73	87.9	
P1469-06	BH9W7	6	1.19	8.62	9.81	8.54	85.3	
P1469-07	BH9R4	7	1.15	8.82	9.97	8.79	86.6	
P1469-08	BH9R5	8	1.19	8.50	9.69	8.39	84.7	
P1469-09	BH9R6	9	1.19	8.51	9.7	8.81	89.5	
P1469-10	BH9X0	10	1.15	8.82	9.97	8.76	86.3	
P1469-11	BH9X2	11	1.16	8.69	9.85	8.25	81.6	
P1469-12	BH9X3	12	1.19	8.52	9.71	7.99	79.8	
P1469-13	BH9X4	13	1.15	8.50	9.65	8.63	88.0	
P1469-14	BH9X5	14	1.14	8.48	9.62	8.66	88.7	
P1469-15	BH9Q5	15	1.14	8.84	9.98	7.42	71.0	
P1469-16	BH9R7	16	1.16	8.79	9.95	8.94	88.5	
P1469-17	BH9R8	17	1.14	8.83	9.97	8.48	83.1	
P1469-18	BH9S1	18	1.19	8.38	9.57	8.09	82.3	
P1469-19	BH9X6	19	1.19	8.64	9.83	8.45	84.0	
P1469-20	BH9X7	20	1.13	8.44	9.57	8.36	85.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$