



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB129587

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1188-01	SOUTH-JERSEY-PORT-SA	1	100.02	0.00	02/19/2024	15:10
2	P1188-02	SOUTH-JERSEY-PORT-SA	1	100.04	0.00	02/19/2024	15:17
3	P1505-01	WC-1S	1	100.05	0.00	02/19/2024	15:25
4	P1505-05	WC-1D	1	100.07	0.00	02/19/2024	15:32
5	P1505-09	WC-2S	1	100.02	0.00	02/19/2024	15:40
6	P1505-13	WC-2D	1	100.04	0.00	02/19/2024	15:47
7	P1514-01	ETGI-343	1	100.07	0.00	02/19/2024	15:55
8	P1514-01DUP	ETGI-343DUP	1	100.07	0.00	02/19/2024	16:02

66129587

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-02-19

WorkList ID : 177985

Department : Wet-Chemistry

Date : 02-19-2024 08:33:14

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1188-01	SOUTH-JERSEY-PORT-SAMP1	Solid	Paint Filter	Cool 4 deg C	TRAC01	--Sele	01/19/2024	9095B
P1188-02	SOUTH-JERSEY-PORT-SAMP1	Solid	Paint Filter	Cool 4 deg C	TRAC01	--Sele	01/19/2024	9095B
P1505-01	WC-1S	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/15/2024	9095B
P1505-05	WC-1D	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/15/2024	9095B
P1505-09	WC-2S	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/15/2024	9095B
P1505-13	WC-2D	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/15/2024	9095B
P1514-01	ETGI-343	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/16/2024	9095B

Date/Time 02/19/2024 15:00
Raw Sample Received by: RTA CWC
Raw Sample Relinquished by: 18(CWC)

Date/Time 02/19/2024 16:15
Raw Sample Received by: 28(CWC)
Raw Sample Relinquished by: RM CWC