



Analytical Summary Report

Analysis Method: 1030
Parameter: Ignitability
Run Number: LB129608

Reviewed By: Nikita
Supervisor Review By: Iwona

Seq	LabID	ClientID	DF	matrix	Result Status	Burning Rate	Anal Date	Anal Time
1	P1514-01	ETGI-343	1	Solid	NO	0.00	02/21/2024	10:35
2	P1514-01DUP	ETGI-343DUP	1	Solid	NO	0.00	02/21/2024	10:43
3	P1514-02	ETGI-343	1	Solid	NO	0.00	02/21/2024	10:51
4	P1516-01	COMP-1	1	Solid	NO	0.00	02/21/2024	10:59
5	P1516-03	00043	1	Solid	NO	0.00	02/21/2024	11:07
6	P1530-03	BROAD-GENERAL	1	Solid	NO	0.00	02/21/2024	11:15
7	P1543-01	COMP-1	1	Solid	NO	0.00	02/21/2024	11:23
8	P1543-03	101	1	Solid	NO	0.00	02/21/2024	11:31
9	P1549-02	HT3727	1	Solid	NO	0.00	02/21/2024	11:39
10	P1549-04	336	1	Solid	NO	0.00	02/21/2024	12:07

Burning Rate = $\frac{\text{Length (mm)}}{\text{Total Time (sec)}}$

LB-129608

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 02/20/24 ign

WorkList ID : 178021

Department : Wet-Chemistry

Date : 02-20-2024 04:09:28

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1514-01	ETGI-343	Solid	Ignitability	Cool 4 deg C	PSEG03	E21	02/16/2024	1030
P1514-02	ETGI-343	Solid	Ignitability	Cool 4 deg C	PSEG03	E21	02/16/2024	1030
P1516-01	COMP-1	Solid	Ignitability	Cool 4 deg C	PSEG03	E21	02/16/2024	1030
P1516-03	00043	Solid	Ignitability	Cool 4 deg C	PSEG03	E21	02/16/2024	1030
P1530-03	BROAD-GENERAL	Solid	Ignitability	Cool 4 deg C	TULL02	E11	02/19/2024	1030
P1543-01	COMP-1	Solid	Ignitability	Cool 4 deg C	PSEG03	E21	02/20/2024	1030
P1543-03	101	Solid	Ignitability	Cool 4 deg C	PSEG03	E21	02/20/2024	1030
P1549-02	HT3727	Solid	Ignitability	Cool 4 deg C	PSEG03	E21	02/20/2024	1030
P1549-04	336	Solid	Ignitability	Cool 4 deg C	PSEG03	E21	02/20/2024	1030

Date/Time 02/21/2024 10:20
Raw Sample Received by: N.P.W.C.
Raw Sample Relinquished by: M.C.C.

Date/Time 02/21/2024 12:30
Raw Sample Received by: M.C.C.
Raw Sample Relinquished by: N.P.W.C.