



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/22/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:50
In Date: 02/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:48
Out Date: 02/22/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB129622

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1553-01	BGS47	1	1.18	8.42	9.6	8.31	84.7	
P1553-02	BGS48	2	1.16	8.65	9.81	8.52	85.1	
P1553-03	BGS49	3	1.19	8.52	9.71	8.66	87.7	
P1553-04	BGS50	4	1.19	8.51	9.7	8.26	83.1	
P1553-05	BGS83	5	1.16	8.40	9.56	8.75	90.4	
P1553-06	BGS84	6	1.19	8.39	9.58	7.97	80.8	
P1553-07	BGS91	7	1.19	8.68	9.87	8.66	86.1	
P1553-08	BGS92	8	1.18	8.55	9.73	8.4	84.4	
P1553-09	BGS92MS	9	1.18	8.55	9.73	8.4	84.4	
P1553-10	BGS92MSD	10	1.18	8.55	9.73	8.4	84.4	
P1553-11	BGS93	11	1.15	8.40	9.55	8.47	87.1	
P1553-12	BGS94	12	1.19	8.71	9.9	8.74	86.7	
P1553-13	BGRE4	13	1.14	8.80	9.94	8.59	84.7	
P1553-15	BGRL4	14	1.19	8.63	9.82	8.25	81.8	
P1553-16	BGRL5	15	1.19	8.50	9.69	8.36	84.4	
P1553-17	BGRL6	16	1.14	8.40	9.54	8.48	87.4	
P1553-18	BGRL7	17	1.12	8.45	9.57	8.42	86.4	
P1553-19	BGSA9	18	1.17	8.68	9.85	8.87	88.7	
P1553-20	BGSB0	19	1.16	8.63	9.79	7.92	78.3	
P1553-21	BGSB1	20	1.16	8.82	9.98	8.58	84.1	
P1553-22	BGSB2	21	1.16	8.50	9.66	7.86	78.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$