



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/27/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:25
In Date: 02/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 02/27/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB129670

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1558-01	MBGSB4	1	1.13	8.56	9.69	8.06	81.0	
P1558-02	MBGRE5	2	1.19	8.41	9.6	8.58	87.9	
P1558-03	MBGRG4	3	1.15	8.41	9.56	8.31	85.1	
P1558-04	MBGRH1	4	1.13	8.86	9.99	9.06	89.5	
P1558-05	MBGRH2	5	1.16	8.73	9.89	8.67	86.0	
P1558-06	MBGRH3	6	1.13	8.73	9.86	8.78	87.6	
P1558-07	MBGRH4	7	1.13	8.73	9.86	8.74	87.2	
P1558-08	MBGRH5	8	1.14	8.84	9.98	8.61	84.5	
P1558-09	MBGSH3	9	1.13	8.73	9.86	8.78	87.6	
P1558-10	MBGSH4	10	1.19	8.78	9.97	7.91	76.5	
P1558-11	MBGSJ1	11	1.19	8.79	9.98	8.27	80.5	
P1558-12	MBGSJ2	12	1.12	8.75	9.87	8.2	80.9	
P1558-13	MBGSJ3	13	1.13	8.67	9.8	8.08	80.2	
P1558-14	MBGSJ4	14	1.17	8.60	9.77	8.05	80.0	
P1558-15	MBGSF1	15	1.17	8.56	9.73	8.22	82.4	
P1558-16	MBGSF2	16	1.19	8.67	9.86	7.84	76.7	
P1558-17	MBGSF3	17	1.16	8.65	9.81	8.2	81.4	
P1558-18	MBGSF4	18	1.15	8.44	9.59	7.98	80.9	
P1558-19	MBGSF5	19	1.18	8.62	9.8	7.93	78.3	
P1558-20	MBGSG8	20	1.17	8.65	9.82	8.2	81.3	
P1558-21	MBGSG8D	21	1.17	8.65	9.82	8.2	81.3	
P1558-22	MBGSG8S	22	1.17	8.65	9.82	8.2	81.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$