



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/27/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:50
In Date: 02/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 02/27/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB129672

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1569-01	MBGRJ4	1	1.18	8.72	9.9	7.95	77.6	
P1569-02	MBGRJ5	2	1.18	8.79	9.97	7.97	77.2	
P1569-03	MBGRJ6	3	1.16	8.51	9.67	7.62	75.9	
P1569-04	MBGRJ7	4	1.15	8.80	9.95	8.73	86.1	
P1569-05	MBGRJ8	5	1.17	8.68	9.85	8.71	86.9	
P1569-06	MBGRJ9	6	1.18	8.44	9.62	8.67	88.7	
P1569-07	MBGRK0	7	1.13	8.46	9.59	7.94	80.5	
P1569-08	MBGRK1	8	1.18	8.81	9.99	8.1	78.5	
P1569-09	MBGRK2	9	1.19	8.79	9.98	8.31	81.0	
P1569-10	MBGRK3	10	1.17	8.57	9.74	8.62	86.9	
P1569-11	MBGRK3D	11	1.17	8.57	9.74	8.62	86.9	
P1569-12	MBGRK3S	12	1.17	8.57	9.74	8.62	86.9	
P1569-13	MBGRK4	13	1.15	8.83	9.98	8.99	88.8	
P1569-14	MBGRL1	14	1.13	8.64	9.77	8.6	86.5	
P1569-15	MBGSF6	15	1.12	8.40	9.52	7.73	78.7	
P1569-16	MBGSG7	16	1.19	8.62	9.81	8.58	85.7	
P1569-17	MBGSG9	17	1.11	8.66	9.77	8.16	81.4	
P1569-18	MBGSH0	18	1.15	8.82	9.97	8.62	84.7	
P1569-19	MBGSH1	19	1.19	8.73	9.92	8.34	81.9	
P1569-20	MBGSH2	20	1.18	8.47	9.65	8.02	80.8	
P1569-21	MBGRE6	21	1.12	8.54	9.66	8.95	91.7	
P1569-22	MBGSX1	22	1.13	8.62	9.75	8.22	82.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$