



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 02/26/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:30
Out Date: 02/27/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB129684

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1570-01	MBGSX2	1	1.13	8.86	9.99	8.88	87.5	
P1570-02	MBGSX3	2	1.12	8.40	9.52	7.58	76.9	
P1570-03	MBGSX4	3	1.13	8.84	9.97	8.75	86.2	
P1570-04	MBGRE7	4	1.12	8.49	9.61	8.28	84.3	
P1570-05	MBGRH6	5	1.13	8.57	9.7	8.5	86.0	
P1570-06	MBGRH7	6	1.15	8.80	9.95	8.59	84.5	
P1570-07	MBGRH8	7	1.16	8.40	9.56	8.29	84.9	
P1570-08	MBGRH9	8	1.14	8.61	9.75	8.37	84.0	
P1570-09	MBGSW3	9	1.11	8.55	9.66	8.48	86.2	
P1570-10	MBGSW4	10	1.13	8.40	9.53	8.11	83.1	
P1570-11	MBGSW5	11	1.16	8.83	9.99	8.62	84.5	
P1570-12	MBGSW6	12	1.12	8.52	9.64	8.35	84.9	
P1570-13	MBGSW7	13	1.13	8.85	9.98	8.73	85.9	
P1570-14	MBGSW7D	14	1.13	8.85	9.98	8.73	85.9	
P1570-15	MBGSW7S	15	1.13	8.85	9.98	8.73	85.9	
P1570-16	MBGSW8	16	1.17	8.60	9.77	8.2	81.7	
P1570-17	MBGST1	17	1.13	8.85	9.98	8.31	81.1	
P1570-18	MBGST2	18	1.15	8.50	9.65	7.86	78.9	
P1570-19	MBGST3	19	1.13	8.46	9.59	7.94	80.5	
P1570-20	MBGST4	20	1.14	8.59	9.73	7.86	78.2	
P1570-21	MBGST5	21	1.11	8.61	9.72	7.99	79.9	
P1570-22	MBGST6	22	1.16	8.70	9.86	8.02	78.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$