



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 2/28/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:50
In Date: 02/27/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 02/28/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB129690

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1596-01	MBGST7	1	1.13	8.46	9.59	7.97	80.9	
P1596-02	MBGST8	2	1.14	8.46	9.6	8.09	82.2	
P1596-03	MBGST9	3	1.13	8.44	9.57	8.23	84.1	
P1596-04	MBGSW0	4	1.14	8.85	9.99	8.61	84.4	
P1596-05	MBGSW1	5	1.13	8.50	9.63	8.05	81.4	
P1596-06	MBGSW2	6	1.12	8.81	9.93	8.12	79.5	
P1596-07	MBGR66	7	1.14	8.82	9.96	8.26	80.7	
P1596-08	MBGR67	8	1.13	8.61	9.74	8.36	84.0	
P1596-09	MBGR68	9	1.16	8.82	9.98	7.87	76.1	
P1596-10	MBGR68D	10	1.16	8.82	9.98	7.87	76.1	
P1596-11	MBGR68S	11	1.16	8.82	9.98	7.87	76.1	
P1596-12	MBGR69	12	1.14	8.83	9.97	8.44	82.7	
P1596-13	MBGR74	13	1.12	8.56	9.68	8.26	83.4	
P1596-14	MBGR81	14	1.13	8.84	9.97	8.08	78.6	
P1596-15	MBGR82	15	1.11	8.53	9.64	8.4	85.5	
P1596-16	MBGR83	16	1.14	8.66	9.8	8.6	86.1	
P1596-17	MBGR84	17	1.13	8.62	9.75	8.3	83.2	
P1596-18	MBGR85	18	1.11	8.49	9.6	8.29	84.6	
P1596-19	MBGRE8	19	1.15	8.40	9.55	8.18	83.7	
P1596-20	MBGSY5	20	1.16	8.71	9.87	8.38	82.9	
P1596-21	MBGSY6	21	1.13	8.78	9.91	7.82	76.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$