



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB129692

Reviewed By: Iwona
Supervisor Review By: jignesh
BalanceID: WS SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1585-01	VNJ-232	1	100.02	0.00	02/27/2024	10:45
2	P1585-01DUP	VNJ-232DUP	1	100.06	0.00	02/27/2024	10:52
3	P1602-01	WC-1	1	100.01	0.00	02/27/2024	11:00
4	P1602-04	WC-2	1	100.03	0.00	02/27/2024	11:08
5	P1602-07	WC-3	1	100.05	0.00	02/27/2024	11:15
6	P1602-10	WC-4	1	100.02	0.00	02/27/2024	11:22

WORKLIST(Hardcopy Internal Chain)

LB129692

WorkList Name : PF-0227 WorkList ID : 178208 Department : Wet-Chemistry Date : 02-27-2024 09:47:34

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1585-01	VNU-232	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/23/2024	9095B
P1602-01	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/26/2024	9095B
P1602-04	WC-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/26/2024	9095B
P1602-07	WC-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/26/2024	9095B
P1602-10	WC-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	E21	02/26/2024	9095B

Date/Time 02/27/24 10:35
 Raw Sample Received by: 12(WG)
 Raw Sample Relinquished by: 12(WG)

Date/Time 02/27/24 11:40
 Raw Sample Received by: 12(WG)
 Raw Sample Relinquished by: 12(WG)