



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 3/4/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:30
In Date: 02/29/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 03/01/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB129723

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1605-01	BGRJ0	1	1.15	8.80	9.95	9.14	90.8	
P1605-02	BGRJ1	2	1.13	8.75	9.88	8.89	88.7	
P1605-03	BGRJ1MS	3	1.13	8.75	9.88	8.89	88.7	
P1605-04	BGRJ1MSD	4	1.13	8.75	9.88	8.89	88.7	
P1605-05	BGRJ2	5	1.18	8.47	9.65	8.66	88.3	
P1605-06	BGRJ3	6	1.18	8.74	9.92	8.44	83.1	
P1605-07	BGSY4	7	1.13	8.58	9.71	7.93	79.3	
P1605-08	BGRM0	8	1.16	8.70	9.86	8.03	79.0	
P1605-09	BGRM1	9	1.13	8.84	9.97	8.66	85.2	
P1605-10	BGRP4	10	1.13	8.86	9.99	8.05	78.1	
P1605-11	BGRP5	11	1.18	8.79	9.97	8.12	79.0	
P1605-12	BGRP6	12	1.12	8.86	9.98	7.97	77.3	
P1605-13	BGRP7	13	1.17	8.58	9.75	7.9	78.4	
P1605-14	BGRP8	14	1.14	8.82	9.96	8.45	82.9	
P1605-15	BGRP9	15	1.15	8.42	9.57	8.06	82.1	
P1605-16	BGRL2	16	1.12	8.76	9.88	8.15	80.3	
P1605-17	BGRL3	17	1.17	8.60	9.77	8.01	79.5	
P1605-18	BGSM7	18	1.19	8.62	9.81	8.59	85.8	
P1605-19	BGSM8	19	1.13	8.78	9.91	8.2	80.5	
P1605-20	BGSW9	20	1.18	8.79	9.97	8.34	81.5	
P1605-21	BGSX0	21	1.19	8.49	9.68	7.93	79.4	
P1605-22	BGSZ1	22	1.14	8.51	9.65	7.83	78.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$