



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 3/1/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:30
In Date: 02/29/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 03/01/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB129724

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1606-01	MBGRJ0	1	1.15	8.80	9.95	9.14	90.8	
P1606-02	MBGRJ1	2	1.13	8.75	9.88	8.89	88.7	
P1606-03	MBGRJ1D	3	1.13	8.75	9.88	8.89	88.7	
P1606-04	MBGRJ1S	4	1.13	8.75	9.88	8.89	88.7	
P1606-05	MBGRJ2	5	1.18	8.47	9.65	8.66	88.3	
P1606-06	MBGRJ3	6	1.18	8.74	9.92	8.44	83.1	
P1606-07	MBGRP5	7	1.18	8.79	9.97	8.12	79.0	
P1606-08	MBGRP6	8	1.12	8.86	9.98	7.97	77.3	
P1606-09	MBGRP7	9	1.17	8.58	9.75	7.9	78.4	
P1606-10	MBGRP8	10	1.14	8.82	9.96	8.45	82.9	
P1606-11	MBGRP9	11	1.15	8.42	9.57	8.06	82.1	
P1606-12	MBGRL2	12	1.12	8.76	9.88	8.15	80.3	
P1606-13	MBGRL3	13	1.17	8.60	9.77	8.01	79.5	
P1606-14	MBGSM7	14	1.19	8.62	9.81	8.59	85.8	
P1606-15	MBGSM8	15	1.13	8.78	9.91	8.2	80.5	
P1606-16	MBGRM2	16	1.15	8.54	9.69	8.32	84.0	
P1606-17	MBGRM3	17	1.13	8.86	9.99	8.92	87.9	
P1606-18	MBGRM4	18	1.12	8.85	9.97	8.37	81.9	
P1606-19	MBGRM5	19	1.13	8.62	9.75	8.08	80.6	
P1606-20	MBGRM6	20	1.16	8.77	9.93	8.06	78.7	
P1606-21	MBGRM7	21	1.12	8.73	9.85	7.86	77.2	
P1606-22	MBGRM9	22	1.13	8.43	9.56	7.83	79.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$