



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 3/4/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:15
In Date: 03/01/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 03/02/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB129742

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1649-01	MBGRM8	1	1.17	8.57	9.74	7.98	79.5	
P1649-02	MBGRM8D	2	1.17	8.57	9.74	7.98	79.5	
P1649-03	MBGRM8S	3	1.17	8.57	9.74	7.98	79.5	
P1649-04	MBGRN0	4	1.15	8.38	9.53	7.71	78.3	
P1649-05	MBGRN1	5	1.18	8.80	9.98	8.2	79.8	
P1649-06	MBGSW9	6	1.18	8.79	9.97	8.34	81.5	
P1649-07	MBGSX0	7	1.19	8.49	9.68	7.93	79.4	
P1649-08	MBGSZ1	8	1.14	8.51	9.65	7.83	78.6	
P1649-09	MBGRQ0	9	1.13	8.55	9.68	8.28	83.6	
P1649-10	MBGRQ1	10	1.16	8.50	9.66	7.57	75.4	
P1649-11	MBGRQ2	11	1.12	8.46	9.58	7.75	78.4	
P1649-12	MBGRQ4	12	1.19	8.53	9.72	7.82	77.7	
P1649-13	MBGRQ5	13	1.18	8.49	9.67	7.92	79.4	
P1649-14	MBGSJ7	14	1.15	8.79	9.94	8.89	88.1	
P1649-15	MBGSJ8	15	1.12	8.52	9.64	8.35	84.9	
P1649-16	MBGSZ2	16	1.15	8.83	9.98	8.26	80.5	
P1649-17	MBGSZ8	17	1.18	8.45	9.63	8.1	81.9	
P1649-18	MBGSZ9	18	1.19	8.56	9.75	7.98	79.3	
P1649-19	MBGT00	19	1.14	8.83	9.97	8.5	83.4	
P1649-20	MBGT01	20	1.16	8.62	9.78	7.98	79.1	
P1649-21	MBGT02	21	1.14	8.67	9.81	8.13	80.6	
P1649-22	MBGT03	22	1.13	8.62	9.75	7.93	78.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$