



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB129810

Reviewed By: Nikita
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1682-01	HR-04-03052024	1	100.02	0.00	03/07/2024	15:00
2	P1682-01DUP	HR-04-03052024DUP	1	100.01	0.00	03/07/2024	15:07
3	P1684-01	SU-03-030524	1	100.03	0.00	03/07/2024	15:14
4	P1685-01	72-12002	1	100.06	0.00	03/07/2024	15:21
5	P1705-01	TP-1	1	100.04	0.00	03/07/2024	15:28
6	P1705-03	TP-2	1	100.03	0.00	03/07/2024	15:35
7	P1705-05	TP-2B	1	100.02	0.00	03/07/2024	15:42

LB-129810

WORKLIST(Hardcopy Internal Chain)

WorkList Name : paint filter 03/07/24		WorkList ID : 178448		Department : Wet-Chemistry		Date : 03-07-2024 14:29:36		
Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1682-01	HR-04-03052024	Solid	Paint Filter	Cool 4 deg C	PSEG05	E21	03/05/2024	9095B
P1684-01	SU-03-030524	Solid	Paint Filter	Cool 4 deg C	PSEG05	E21	03/05/2024	9095B
P1685-01	72-12002	Solid	Paint Filter	Cool 4 deg C	PSEG03	H12	03/05/2024	9095B
P1705-01	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I21	03/07/2024	9095B
P1705-03	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	I21	03/07/2024	9095B
P1705-05	TP-2B	Solid	Paint Filter	Cool 4 deg C	PSEG03	I21	03/07/2024	9095B

Date/Time 03/07/2024 14:45
Raw Sample Received by: N.P. W.C
Raw Sample Relinquished by: J.P. W.C

Date/Time 03/07/2024 16:15
Raw Sample Received by: J.P. W.C
Raw Sample Relinquished by: N.P. W.C