



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB129838

Reviewed By: Nikita
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1710-01	TR-04-030724	1	100.01	0.00	03/11/2024	09:50
2	P1710-01DUP	TR-04-030724DUP	1	100.02	0.00	03/11/2024	10:58
3	P1720-01	RT4196	1	100.03	0.00	03/11/2024	10:05
4	P1720-03	RT3471	1	100.04	0.00	03/11/2024	10:12

LB-129838

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 03/11/24 paint filter WorkList ID : 178495 Department : Wet-Chemistry Date : 03-11-2024 08:13:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1710-01	TR-04-030724	Solid	Paint Filter	Cool 4 deg C	PSEG05	E21	03/07/2024	9095B
P1720-01	RT4196	Solid	Paint Filter	Cool 4 deg C	PSEG03	I23	03/08/2024	9095B
P1720-03	RT3471	Solid	Paint Filter	Cool 4 deg C	PSEG03	I23	03/08/2024	9095B

Date/Time 03/11/2024 09:40
Raw Sample Received by: A.P. W.C
Raw Sample Relinquished by: [Signature]

Date/Time 03/11/2024 10:30
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: A.P. W.C