



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB129900

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1744-01	RT-3488	1	100.02	0.00	03/15/2024	09:25
2	P1744-01DUP	RT-3488DUP	1	100.01	0.00	03/15/2024	09:32
3	P1764-10	COMP-1	1	100.03	0.00	03/15/2024	09:39
4	P1764-11	COMP-2	1	100.06	0.00	03/15/2024	09:46
5	P1767-01	NB-07-031424	1	100.04	0.00	03/15/2024	09:53

LB.129900

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 03/15/24 paintfilter WorkList ID : 178610 Department : Wet-Chemistry Date : 03-15-2024 08:19:12

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1744-01	RT-3488	Solid	Paint Filter	Cool 4 deg C	PSEG03	I21	03/13/2024	9095B
P1764-10	COMP-1	Solid	Paint Filter	Cool 4 deg C	DASK01	I31	03/14/2024	9095B
P1764-11	COMP-2	Solid	Paint Filter	Cool 4 deg C	DASK01	I31	03/14/2024	9095B
P1767-01	NB-07-031424	Solid	Paint Filter	Cool 4 deg C	PSEG05	I41	03/14/2024	9095B

Date/Time 03/15/2024 9:15
Raw Sample Received by: N.P. W.C
Raw Sample Relinquished by: SP(WC)

Date/Time 03/15/2024 10:10
Raw Sample Received by: SP(WC)
Raw Sample Relinquished by: N.P. W.C