



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB129936

Reviewed By: Nikita
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1791-01	SU-04-03182024	1	100.02	0.00	03/19/2024	08:40
2	P1791-01DUP	SU-04-03182024DUP	1	100.01	0.00	03/19/2024	08:47
3	P1792-01	72-11977	1	100.03	0.00	03/19/2024	08:54

LB-129936

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 03/19/24 paintfilter WorkList ID : 178674 Department : Wet-Chemistry Date : 03-19-2024 08:15:24

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1791-01	SU-04-03182024	Solid	Paint Filter	Cool 4 deg C	PSEG05	I21	03/18/2024	9095B
P1792-01	72-11977	Solid	Paint Filter	Cool 4 deg C	PSEG03	O31	03/18/2024	9095B

Date/Time 03/19/2024 08:25
Raw Sample Received by: N.P.W.C
Raw Sample Relinquished by: 70/6001

Date/Time 03/19/2024 09:15
Raw Sample Received by: 70/6001
Raw Sample Relinquished by: N.P.W.C