



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB129953

Reviewed By: Nikita
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1801-01	OR-03-031924	1	100.02	0.00	03/20/2024	11:10
2	P1801-01DUP	OR-03-031924DUP	1	100.01	0.00	03/20/2024	11:17
3	P1803-01	TRENCH-PIT	1	100.03	0.00	03/20/2024	11:24
4	P1804-01	JC-03-03192024-A	1	100.04	0.00	03/20/2024	11:31
5	P1804-03	JC-03-03192024-B	1	100.03	0.00	03/20/2024	11:38
6	P1810-01	342	1	100.02	0.00	03/20/2024	11:45

LB.129953

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 03/20/24 paintfilter WorkList ID : 178723 Department : Wet-Chemistry Date : 03-20-2024 10:01:03

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1801-01	OR-03-031924	Solid	Paint Filter	Cool 4 deg C	PSEG05	O31	03/19/2024	9095B
P1803-01	TRENCH-PIT	Solid	Paint Filter	Cool 4 deg C	PSEG03	O31	03/19/2024	9095B
P1804-01	JC-03-03192024-A	Solid	Paint Filter	Cool 4 deg C	PSEG05	O31	03/19/2024	9095B
P1804-03	JC-03-03192024-B	Solid	Paint Filter	Cool 4 deg C	PSEG05	O31	03/19/2024	9095B
P1810-01	342	Solid	Paint Filter	Cool 4 deg C	PSEG03	O31	03/19/2024	9095B

Date/Time 03/20/2024 11:00
Raw Sample Received by: N.P. W.C.
Raw Sample Relinquished by: JH Gell

Date/Time 03/20/2024 12:05
Raw Sample Received by: JH Gell
Raw Sample Relinquished by: N.P. W.C.