



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB129988

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1815-01	OK-01-032024	1	100.02	0.00	03/22/2024	08:25
2	P1815-01DUP	OK-01-032024DUP	1	100.01	0.00	03/22/2024	08:32
3	P1816-01	PL-01-032024	1	100.03	0.00	03/22/2024	08:39
4	P1827-01	72-11933	1	100.06	0.00	03/22/2024	08:46
5	P1829-01	TR-05-031224	1	100.01	0.00	03/22/2024	08:53
6	P1830-02	VNJ-206	1	100.03	0.00	03/22/2024	09:00
7	P1830-04	VNJ-226	1	100.04	0.00	03/22/2024	09:07
8	P1831-01	CL-01-032124	1	100.03	0.00	03/22/2024	09:14
9	P1832-01	600581536	1	100.02	0.00	03/22/2024	09:21

LB-129988

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 03/22/24 paintfilter		WorkList ID : 178774		Department : Wet-Chemistry		Date : 03-22-2024 08:08:04		
Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1815-01	OK-01-032024	Solid	Paint Filter	Cool 4 deg C	PSEG05	P11	03/20/2024	9095B
P1816-01	PL-01-032024	Solid	Paint Filter	Cool 4 deg C	PSEG05	O21	03/20/2024	9095B
P1827-01	72-11933	Solid	Paint Filter	Cool 4 deg C	PSEG03	O61	03/21/2024	9095B
P1829-01	TR-05-031224	Solid	Paint Filter	Cool 4 deg C	PSEG05	P11	03/21/2024	9095B
P1830-02	VNJ-206	Solid	Paint Filter	Cool 4 deg C	PSEG03	P31	03/21/2024	9095B
P1830-04	VNJ-226	Solid	Paint Filter	Cool 4 deg C	PSEG03	P31	03/21/2024	9095B
P1831-01	CL-01-032124	Solid	Paint Filter	Cool 4 deg C	PSEG05	P11	03/21/2024	9095B
P1832-01	600581536	Solid	Paint Filter	Cool 4 deg C	PSEG03	P11	03/21/2024	9095B

Date/Time 03/22/2024 08:15
Raw Sample Received by: N.P. WC
Raw Sample Relinquished by: J. Lee

Date/Time 03/22/2024 9:30
Raw Sample Received by: J. Lee
Raw Sample Relinquished by: N.P. WC