



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB130065

Reviewed By: Nikita
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1894-04	RB40858RT	1	100.03	0.00	03/28/2024	09:55
2	P1894-04DUP	RB40858RTDUP	1	100.02	0.00	03/28/2024	10:02
3	P1894-06	RT3414	1	100.01	0.00	03/28/2024	10:09
4	P1900-01	SB-1	1	100.04	0.00	03/28/2024	10:16

LB-130065

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 03/28/24 paintfilter

WorkList ID : 178905

Department : Wet-Chemistry

Date : 03-28-2024 08:12:15

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1894-04	RB40858RT	Solid	Paint Filter	Cool 4 deg C	PSEG03	I12	03/27/2024	9095B
P1894-06	RT3414	Solid	Paint Filter	Cool 4 deg C	PSEG03	I12	03/27/2024	9095B
P1900-01	SB-1	Solid	Paint Filter	Cool 4 deg C	EART12	I13	03/27/2024	9095B

Date/Time03/28/20249:40

Raw Sample Received by: N.P. W.C.

Raw Sample Relinquished by: [Signature]

Date/Time03/28/202410:30

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: N.P. W.C.