

PERCENT SOLID

Supervisor: Sohil
Analyst: jignesh
Date: 4/6/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 04/05/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 04/06/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130195

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2001-01	S-846-G3-SO-13-040424	1	1.17	8.82	9.99	9.04	89.2	
P2004-05	SVOC-GPC-BLANK	2	1.00	1.00	2.00	2.00	100.0	
P2004-06	PEST-GPC-BLANK	3	1.00	1.00	2.00	2.00	100.0	
P2004-07	PEST-GPC-BLANK-SPIKE	4	1.00	1.00	2.00	2.00	100.0	
P2004-08	PCB-GPC-BLANK	5	1.00	1.00	2.00	2.00	100.0	
P2004-09	PCB-GPC-BLANK-SPIKE	6	1.00	1.00	2.00	2.00	100.0	
P2004-10	SVOC-GPC2-BLANK	7	1.00	1.00	2.00	2.00	100.0	
P2004-11	PEST-GPC2-BLANK	8	1.00	1.00	2.00	2.00	100.0	
P2004-12	PEST-GPC2-BLANK-SPIKE	9	1.00	1.00	2.00	2.00	100.0	
P2004-13	PCB-GPC-BLANK	10	1.00	1.00	2.00	2.00	100.0	
P2004-14	PCB-GPC2-BLANK-SPIKE	11	1.00	1.00	2.00	2.00	100.0	
P2004-15	FLORISIL-CHECK	12	1.00	1.00	2.00	2.00	100.0	
P2005-01	MUL01	13	1.16	8.57	9.73	4.28	36.4	
P2005-02	MUL02	14	1.13	8.54	9.67	4.29	37.0	
P2005-03	MUL03	15	1.13	8.83	9.96	8.53	83.8	
P2005-04	SOD01	16	1.1	8.88	9.98	8.28	80.9	
P2005-05	SOD02	17	1.12	8.84	9.96	9.22	91.6	
P2005-06	SOD03	18	1.1	8.62	9.72	7.4	73.1	
P2005-07	TS01	19	1.16	8.80	9.96	7.85	76.0	
P2005-08	TS02	20	1.13	8.57	9.7	7.14	70.1	
P2005-09	TS03	21	1.14	8.61	9.75	7.14	69.7	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$