

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB130269

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	P2022-01	SU-03-04082024	1	100.03	0.00	04/11/2024	08:45
2	P2022-01DUP	SU-03-04082024DUP	1	100.02	0.00	04/11/2024	08:52
3	P2038-01	OK-02-040924	1	100.04	0.00	04/11/2024	08:59
4	P2070-01	TP-1	1	100.03	0.00	04/11/2024	09:06
5	P2070-03	TP-2	1	100.02	0.00	04/11/2024	09:13
6	P2070-05	TP-3	1	100.01	0.00	04/11/2024	09:20
7	P2070-07	TP-4	1	100.03	0.00	04/11/2024	09:27
8	P2070-09	TP-5	1	100.04	0.00	04/11/2024	09:34
9	P2071-01	PL-01-041024	1	100.01	0.00	04/11/2024	09:41

LB-130269

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 04/11/24 paintfilter		WorkList ID : 179291		Department : Wet-Chemistry		Date : 04-11-2024 08:27:08	
Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date Method
P2022-01	SU-03-04082024	Solid	Paint Filter	Cool 4 deg C	PSEG05	P21	04/08/2024 9095B
P2038-01	OK-02-040924	Solid	Paint Filter	Cool 4 deg C	PSEG05	P31	04/09/2024 9095B
P2070-01	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	P31	04/10/2024 9095B
P2070-03	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	P31	04/10/2024 9095B
P2070-05	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	P31	04/10/2024 9095B
P2070-07	TP-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	P31	04/10/2024 9095B
P2070-09	TP-5	Solid	Paint Filter	Cool 4 deg C	PSEG03	P31	04/10/2024 9095B
P2071-01	PL-01-041024	Solid	Paint Filter	Cool 4 deg C	PSEG05	P41	04/10/2024 9095B

Date/Time 04/11/2024 08:35
Raw Sample Received by: N.P.W.C
Raw Sample Relinquished by: N.P.W.C

Date/Time 04/11/2024 09:50
Raw Sample Received by: N.P.W.C
Raw Sample Relinquished by: N.P.W.C