

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB130291

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2067-01	ETGI-346	1	100.02	0.00	04/12/2024	08:25
2	P2067-01DUP	ETGI-346DUP	1	100.01	0.00	04/12/2024	08:32
3	P2072-01	HR-01-041024	1	100.03	0.00	04/12/2024	08:39
4	P2072-03	HR-02-041024	1	100.04	0.00	04/12/2024	08:46
5	P2088-01	SU-04-041124	1	100.02	0.00	04/12/2024	08:53
6	P2090-01	TR-05-04112024	1	100.04	0.00	04/12/2024	09:00
7	P2091-01	OR-02-041124	1	100.02	0.00	04/12/2024	09:07

LB-130291

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 04/12/24 paintfilter		WorkList ID : 179343		Department : Wet-Chemistry		Date : 04-12-2024 08:09:30		
Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2067-01	ETGI-346	Solid	Paint Filter	Cool 4 deg C	PSEG03	P31	04/10/2024	9095B
P2072-01	HR-01-041024	Solid	Paint Filter	Cool 4 deg C	PSEG05	I51	04/10/2024	9095B
P2072-03	HR-02-041024	Solid	Paint Filter	Cool 4 deg C	PSEG05	I51	04/10/2024	9095B
P2088-01	SU-04-041124	Solid	Paint Filter	Cool 4 deg C	PSEG05	I41	04/11/2024	9095B
P2090-01	TR-05-04112024	Solid	Paint Filter	Cool 4 deg C	PSEG05	I41	04/11/2024	9095B
P2091-01	OR-02-041124	Solid	Paint Filter	Cool 4 deg C	PSEG05	P31	04/11/2024	9095B

Date/Time 04/12/2024 08:15
Raw Sample Received by: N.P.W.C
Raw Sample Relinquished by: N.P.W.C

Date/Time 04/12/2024 09:15
Raw Sample Received by: N.P.W.C
Raw Sample Relinquished by: N.P.W.C