

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/15/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:10
In Date: 04/12/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 04/13/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130300

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2080-03	MBGT60	1	1.18	8.54	9.72	5.73	53.3	
P2080-04	MBGT61	2	1.15	8.82	9.97	6.91	65.3	
P2080-05	MBGT63	3	1.18	8.32	9.5	5.47	51.6	
P2080-06	MBGT64	4	1.15	8.51	9.66	6.52	63.1	
P2080-07	MBGT65	5	1.18	8.42	9.6	7.12	70.5	
P2080-08	MBGT38	6	1.14	8.60	9.74	8.81	89.2	
P2080-09	MBGT39	7	1.18	8.47	9.65	8.66	88.3	
P2080-10	MBGTA9	8	1.18	8.72	9.9	8.77	87.0	
P2080-11	MBGTB0	9	1.16	8.57	9.73	5.26	47.8	
P2080-12	MBGTB1	10	1.15	8.84	9.99	8.44	82.5	
P2080-13	MBGTB2	11	1.18	8.79	9.97	8.6	84.4	
P2080-14	MBGTB3	12	1.18	8.43	9.61	8.17	82.9	
P2080-15	MBGTB4	13	1.15	8.82	9.97	8.52	83.6	
P2080-16	MBGTB5	14	1.13	8.71	9.84	5.96	55.5	
P2080-17	MBGTB6	15	1.19	8.62	9.81	8.37	83.3	
P2080-18	MBGTC7	16	1.19	8.73	9.92	8.1	79.2	
P2080-19	MBGTC8	17	1.19	8.78	9.97	8.4	82.1	
P2080-20	MBGTC9	18	1.18	8.79	9.97	8.21	80.0	
P2080-21	MBGTC9D	19	1.18	8.79	9.97	8.21	80.0	
P2080-22	MBGTC9S	20	1.18	8.79	9.97	8.21	80.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$