

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/17/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:30
In Date: 04/16/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 04/17/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130339

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2136-01	MBGT55	1	1.15	8.40	9.55	7.68	77.7	
P2136-02	MBGT56	2	1.13	8.69	9.82	8.4	83.7	
P2136-03	MBGT66	3	1.14	8.54	9.68	8.42	85.2	
P2136-04	MBGT71	4	1.14	8.64	9.78	8.88	89.6	
P2136-05	MBGT71D	5	1.14	8.64	9.78	8.88	89.6	
P2136-06	MBGT71S	6	1.14	8.64	9.78	8.88	89.6	
P2136-07	MBGT72	7	1.16	8.47	9.63	8.27	83.9	
P2136-08	MBGT57	8	1.14	8.65	9.79	6.47	61.6	
P2136-09	MBGT58	9	1.15	8.67	9.82	6.12	57.3	
P2136-10	MBGT89	10	1.12	8.60	9.72	8.41	84.8	
P2136-11	MBGT90	11	1.12	8.86	9.98	8.49	83.2	
P2136-12	MBGT91	12	1.16	8.50	9.66	7.98	80.2	
P2136-13	MBGT92	13	1.14	8.55	9.69	7.68	76.5	
P2136-14	MBGT93	14	1.16	8.81	9.97	9.00	89.0	
P2136-15	MBGT99	15	1.15	8.78	9.93	8.83	87.5	
P2136-16	MBGTA0	16	1.13	8.50	9.63	8.5	86.7	
P2136-17	MBGTA1	17	1.16	8.82	9.98	8.22	80.0	
P2136-18	MBGTA3	18	1.16	8.57	9.73	9.00	91.5	
P2136-19	MBGTA4	19	1.16	8.42	9.58	8.51	87.3	
P2136-20	MBGTA5	20	1.13	8.78	9.91	8.04	78.7	
P2136-21	MBGTA6	21	1.13	8.45	9.58	7.52	75.6	
P2136-22	MBGTA7	22	1.15	8.68	9.83	8.14	80.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$