

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/19/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:25
In Date: 04/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:48
Out Date: 04/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130373

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2172-01	MDCOT1	1	1.11	8.70	9.81	7.87	77.7	
P2172-02	MDCOT1D	2	1.11	8.70	9.81	7.87	77.7	
P2172-03	MDCOT1S	3	1.11	8.70	9.81	7.87	77.7	
P2172-04	MDCOU6	4	1.15	8.40	9.55	7.61	76.9	
P2172-05	MDCOU7	5	1.12	8.75	9.87	7.97	78.3	
P2172-06	MDCOU8	6	1.11	8.62	9.73	7.93	79.1	
P2172-07	MDCOV1	7	1.18	8.79	9.97	7.64	73.5	
P2172-08	MDCOV2	8	1.15	8.41	9.56	7.75	78.5	
P2172-09	MDCOR9	9	1.19	8.45	9.64	7.92	79.6	
P2172-10	MDCOS0	10	1.12	8.66	9.78	8.18	81.5	
P2172-11	MDCOS3	11	1.19	8.57	9.76	7.93	78.6	
P2172-12	MDCOS4	12	1.13	8.70	9.83	8.03	79.3	
P2172-13	MDCOV5	13	1.18	8.70	9.88	7.62	74.0	
P2172-14	MDCOV6	14	1.19	8.77	9.96	8.04	78.1	
P2172-15	MDCOV7	15	1.18	8.48	9.66	7.82	78.3	
P2172-16	MDCOV8	16	1.19	8.65	9.84	7.84	76.9	
P2172-17	MDCOV9	17	1.16	8.74	9.9	7.63	74.0	
P2172-18	MDCOW0	18	1.14	8.55	9.69	7.85	78.5	
P2172-19	MDCOS5	19	1.16	8.81	9.97	7.89	76.4	
P2172-20	MDCOS6	20	1.14	8.85	9.99	8.11	78.8	
P2172-21	MDCOW1	21	1.18	8.35	9.53	7.38	74.3	
P2172-22	MDCOW2	22	1.1	8.48	9.58	7.68	77.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$