

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/19/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:25
In Date: 04/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 04/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130375

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2173-01	MDCOY3	1	1.18	8.67	9.85	8.19	80.9	
P2173-02	MDCOY4	2	1.16	8.54	9.7	8.07	80.9	
P2173-03	MDCOY7	3	1.15	8.43	9.58	7.75	78.3	
P2173-04	MDCOY8	4	1.15	8.54	9.69	7.89	78.9	
P2173-05	MDCOY9	5	1.15	8.42	9.57	7.68	77.6	
P2173-06	MDCOZ0	6	1.14	8.85	9.99	8.42	82.3	
P2173-07	MDCOZ3	7	1.18	8.57	9.75	7.74	76.5	
P2173-08	MDCOZ4	8	1.11	8.66	9.77	7.92	78.6	
P2173-09	MDCOR4	9	1.19	8.73	9.92	8.26	81.0	
P2173-10	MDCOS7	10	1.18	8.40	9.58	7.81	78.9	
P2173-11	MDCOS8	11	1.18	8.45	9.63	7.98	80.5	
P2173-12	MDCOU1	12	1.14	8.36	9.5	7.77	79.3	
P2173-13	MDCOU2	13	1.18	8.51	9.69	7.98	79.9	
P2173-14	MDCOW3	14	1.15	8.75	9.9	8.16	80.1	
P2173-15	MDCOW4	15	1.13	8.53	9.66	7.82	78.4	
P2173-16	MDCOT0	16	1.14	8.46	9.6	7.99	81.0	
P2173-17	MDCOT2	17	1.16	8.49	9.65	7.66	76.6	
P2173-18	MDCOT2D	18	1.16	8.49	9.65	7.66	76.6	
P2173-19	MDCOT2S	19	1.16	8.49	9.65	7.66	76.6	
P2173-20	MDCOV4	20	1.17	8.69	9.86	7.86	77.0	
P2173-21	MDCOX1	21	1.15	8.40	9.55	7.87	80.0	
P2173-22	MDCOX2	22	1.14	8.80	9.94	8.08	78.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$