

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/19/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:50
In Date: 04/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:05
Out Date: 04/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130376

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2174-01	MDCOW9	1	1.15	8.84	9.99	7.89	76.2	
P2174-02	MDCOX0	2	1.16	8.50	9.66	7.94	79.8	
P2174-03	MDCOX5	3	1.18	8.74	9.92	8.07	78.8	
P2174-04	MDCOX6	4	1.19	8.53	9.72	8.1	81.0	
P2174-05	MDCOX7	5	1.12	8.61	9.73	7.91	78.9	
P2174-06	MDCOX8	6	1.18	8.36	9.54	7.65	77.4	
P2174-07	MDCPA3	7	1.19	8.71	9.9	8.1	79.3	
P2174-08	MDCPA4	8	1.12	8.86	9.98	8.32	81.3	
P2174-09	MDCOX4	9	1.16	8.48	9.64	7.7	77.1	
P2174-10	MDCOX9	10	1.19	8.38	9.57	7.83	79.2	
P2174-11	MDCOY0	11	1.19	8.49	9.68	8.44	85.4	
P2174-12	MDCOY1	12	1.18	8.59	9.77	8.53	85.6	
P2174-13	MDCOY2	13	1.15	8.80	9.95	8.6	84.7	
P2174-14	MDCOZ9	14	1.19	8.68	9.87	8.1	79.6	
P2174-15	MDCPA9	15	1.12	8.77	9.89	7.91	77.4	
P2174-16	MDCOW5	16	1.17	8.58	9.75	7.87	78.1	
P2174-17	MDCOW6	17	1.18	8.49	9.67	7.81	78.1	
P2174-18	MDCOW8	18	1.18	8.59	9.77	8.23	82.1	
P2174-19	MDCOZ7	19	1.19	8.72	9.91	8.25	81.0	
P2174-20	MDCOZ7D	20	1.19	8.72	9.91	8.25	81.0	
P2174-21	MDCOZ7S	21	1.19	8.72	9.91	8.25	81.0	
P2174-22	MDCOZ8	22	1.15	8.83	9.98	8.07	78.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$