

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/19/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 14:15
In Date: 04/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 04/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130386

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2175-01	MDCPA0	1	1.13	8.86	9.99	8.08	78.4	
P2175-02	MDCPA1	2	1.18	8.61	9.79	7.68	75.5	
P2175-03	MDCPA2	3	1.18	8.61	9.79	7.66	75.3	
P2175-04	MDCPA5	4	1.18	8.43	9.61	7.92	80.0	
P2175-05	MDCPA6	5	1.15	8.43	9.58	8.03	81.6	
P2175-06	MDCPA7	6	1.18	8.56	9.74	7.69	76.1	
P2175-07	MDCPA8	7	1.18	8.43	9.61	7.69	77.2	
P2175-10	MDCPG8	8	1.12	8.84	9.96	8.19	80.0	
P2175-11	MDCPG9	9	1.15	8.82	9.97	8.18	79.7	
P2175-12	MDCPH0	10	1.17	8.67	9.84	7.91	77.7	
P2175-13	MDCPH0D	11	1.17	8.67	9.84	7.91	77.7	
P2175-14	MDCPH0S	12	1.17	8.67	9.84	7.91	77.7	
P2175-15	MDCPH1	13	1.19	8.60	9.79	7.86	77.6	
P2175-16	MDCPH2	14	1.15	8.39	9.54	7.67	77.7	
P2175-17	MDCPH3	15	1.1	8.77	9.87	8.13	80.2	
P2175-18	MDCPH4	16	1.13	8.74	9.87	7.94	77.9	
P2175-19	MDCPH5	17	1.19	8.40	9.59	7.66	77.0	
P2175-20	MDCPH6	18	1.14	8.73	9.87	7.84	76.7	
P2175-21	MDCPH7	19	1.15	8.42	9.57	7.64	77.1	
P2175-22	MDCPH8	20	1.16	8.62	9.78	7.96	78.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$