

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/19/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:25
In Date: 04/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:22
Out Date: 04/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130387

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2179-01	DCOR0	1	1.00	1.00	2.00	2.00	100.0	P.T. SAMPLE
P2179-02	MDCPH9	2	1.18	8.49	9.67	7.86	78.7	
P2179-03	MDCPJ0	3	1.19	8.80	9.99	8.05	78.0	
P2179-04	MDCPJ1	4	1.13	8.70	9.83	7.89	77.7	
P2179-05	MDCPB0	5	1.13	8.70	9.83	8.02	79.2	
P2179-06	MDCPB1	6	1.15	8.82	9.97	8.27	80.7	
P2179-07	MDCPB2	7	1.16	8.80	9.96	8.07	78.5	
P2179-08	MDCPB3	8	1.17	8.58	9.75	7.68	75.9	
P2179-09	MDCPB4	9	1.18	8.81	9.99	7.97	77.1	
P2179-10	MDCPB5	10	1.11	8.43	9.54	7.39	74.5	
P2179-11	MDCPB6	11	1.16	8.48	9.64	7.87	79.1	
P2179-12	MDCPB7	12	1.19	8.41	9.6	7.58	76.0	
P2179-13	MDCPB8	13	1.18	8.50	9.68	7.79	77.8	
P2179-14	MDCPB9	14	1.15	8.40	9.55	7.5	75.6	
P2179-15	MDCPG0	15	1.19	8.73	9.92	7.87	76.5	
P2179-16	MDCPG1	16	1.14	8.65	9.79	7.89	78.0	
P2179-17	MDCPG1D	17	1.14	8.65	9.79	7.89	78.0	
P2179-18	MDCPG1S	18	1.14	8.65	9.79	7.89	78.0	
P2179-19	MDCPG2	19	1.18	8.73	9.91	7.8	75.8	
P2179-20	MDCPG3	20	1.16	8.81	9.97	8.11	78.9	
P2179-21	MDCPG4	21	1.11	8.66	9.77	7.74	76.6	
P2179-22	MDCPG5	22	1.19	8.34	9.53	7.47	75.3	
P2179-23	MDCPG6	23	1.19	8.56	9.75	7.77	76.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$