

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB130437

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2199-01	STOCK-PILE	1	100.02	0.00	04/23/2024	09:00
2	P2199-01DUP	STOCK-PILEDUP	1	100.01	0.00	04/23/2024	09:07
3	P2225-01	TR-06-042224	1	100.03	0.00	04/23/2024	09:14
4	P2227-01	HD-02-04222024	1	100.05	0.00	04/23/2024	09:21
5	P2228-01	EXCAVATION-SOIL	1	100.02	0.00	04/23/2024	09:28

LB-130437

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 04/23/24 paintfilter WorkList ID : 179649 Department : Wet-Chemistry Date : 04-23-2024 08:39:14

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2199-01	STOCK-PILE	Solid	Paint Filter	Cool 4 deg C	DASK01	I41	04/19/2024	9095B
P2225-01	TR-06-042224	Solid	Paint Filter	Cool 4 deg C	PSEG05	I41	04/22/2024	9095B
P2227-01	HD-02-04222024	Solid	Paint Filter	Cool 4 deg C	PSEG05	I31	04/22/2024	9095B
P2228-01	EXCAVATION-SOIL	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	04/22/2024	9095B

Date/Time 04/23/2024 08:45
Raw Sample Received by: N.P.W.C.
Raw Sample Relinquished by: N.P.W.C.

Date/Time 04/23/2024 09:40
Raw Sample Received by: N.P.W.C.
Raw Sample Relinquished by: N.P.W.C.