

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/25/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 04/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 04/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130466

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2244-01	WASTE	1	1.18	8.67	9.85	8.83	88.2	
P2244-02	VOC	2	1.18	8.53	9.71	8.65	87.6	
P2244-03	1	3	1.18	8.50	9.68	8.55	86.7	
P2244-04	2	4	1.12	8.46	9.58	8.5	87.2	
P2244-05	3	5	1.16	8.82	9.98	8.85	87.2	
P2244-06	4	6	1.19	8.63	9.82	8.92	89.6	
P2244-07	5	7	1.19	8.43	9.62	8.67	88.7	
P2252-01	PT-AN-SOIL	8	1.00	1.00	2.00	2.00	100.0	
P2252-02	PT-CORR-SOIL	9	1.00	1.00	2.00	2.00	100.0	
P2252-03	PT-CN-SOIL	10	1.00	1.00	2.00	2.00	100.0	
P2252-04	PT-CN-SOIL	11	1.00	1.00	2.00	2.00	100.0	
P2252-05	PT-FP-SOIL	12	1.00	1.00	2.00	2.00	100.0	
P2252-06	PT-CR6-SOIL	13	1.00	1.00	2.00	2.00	100.0	
P2252-07	PT-NUT-SOIL	14	1.00	1.00	2.00	2.00	100.0	
P2252-08	PT-NUT-SOIL	15	1.00	1.00	2.00	2.00	100.0	
P2252-09	PT-OG-R-SOIL	16	1.00	1.00	2.00	2.00	100.0	
P2252-10	PT-MET-SOIL	17	1.00	1.00	2.00	2.00	100.0	
P2252-11	PT-BNA-SOIL	18	1.00	1.00	2.00	2.00	100.0	
P2252-12	PT-TRIAZINE-SOIL	19	1.00	1.00	2.00	2.00	100.0	
P2252-13	PT-PAH-SOIL	20	1.00	1.00	2.00	2.00	100.0	
P2252-14	PT-DIES-SOIL	21	1.00	1.00	2.00	2.00	100.0	
P2252-15	PT-GAS-SOIL	22	1.00	1.00	2.00	2.00	100.0	
P2252-16	PT-NJEPH-SOIL	23	1.00	1.00	2.00	2.00	100.0	
P2252-17	PT-HERB-SOIL	24	1.00	1.00	2.00	2.00	100.0	
P2252-18	PT-PCB-SOIL	25	1.00	1.00	2.00	2.00	100.0	
P2252-19	PT-PCBO-SOIL	26	1.00	1.00	2.00	2.00	100.0	
P2252-20	PT-PEST-SOIL	27	1.00	1.00	2.00	2.00	100.0	
P2252-21	PT-CHLR-SOIL	28	1.00	1.00	2.00	2.00	100.0	

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 4/25/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 04/24/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 04/25/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130466

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2252-22	PT-TXP-SOIL	29	1.00	1.00	2.00	2.00	100.0	
P2252-23	PT-VOA-SOIL	30	1.00	1.00	2.00	2.00	100.0	
P2252-24	PT-SOL-SOIL	31	1.13	8.85	9.98	8.27	80.7	
P2257-01	326A	32	1.00	1.00	2.00	2.00	100.0	oil sample
P2257-02	1356	33	1.00	1.00	2.00	2.00	100.0	debris
P2258-01	OR-03-042424	34	1.16	8.39	9.55	8.74	90.3	
P2258-02	OR-03-042424-E2	35	1.14	8.50	9.64	8.82	90.4	
P2259-01	CONCRETE-1	36	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P2259-02	CONCRETE-2	37	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
P2260-01	COMP-60238-60279	38	1.15	8.77	9.92	9.5	95.2	
P2260-02	60238	39	1.15	8.49	9.64	9.32	96.2	
P2260-03	60239	40	1.19	8.43	9.62	9.19	94.9	
P2261-01	RO-RBR200059	41	1.11	8.48	9.59	8.22	83.8	
P2261-03	RO-RBR200059	42	1.17	8.78	9.95	7.93	77.0	
P2262-01	HR-03-04242024	43	1.18	8.43	9.61	9.17	94.8	
P2262-02	HR-03-04242024-32	44	1.18	8.44	9.62	9.28	96.0	
P2262-03	HR-04-04242024	45	1.15	8.80	9.95	9.38	93.5	
P2262-04	HR-04-04242024-E2	46	1.14	8.60	9.74	8.92	90.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$