

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB130509

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2270-01	72-11936	1	100.03	0.00	04/26/2024	09:40
2	P2270-01DUP	72-11936DUP	1	100.02	0.00	04/26/2024	09:47
3	P2270-03	VNJ-240	1	100.01	0.00	04/26/2024	09:54
4	P2271-01	RT-3860	1	100.04	0.00	04/26/2024	10:01
5	P2274-02	VNJ-209	1	100.03	0.00	04/26/2024	10:08

LB-130509

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 04/26/24 paintfilter WorkList ID : 179779 Department : Wet-Chemistry Date : 04-26-2024 09:05:52

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2270-01	72-11936	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	04/25/2024	9095B
P2270-03	VNJ-240	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	04/25/2024	9095B
P2271-01	RT-3860	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	04/25/2024	9095B
P2274-02	VNJ-209	Solid	Paint Filter	Cool 4 deg C	PSEG03	I21	04/25/2024	9095B

Date/Time 04/26/2024 9:35
Raw Sample Received by: A.P.W.C
Raw Sample Relinquished by: A.P.W.C

Date/Time 04/26/2024 10:15
Raw Sample Received by: A.P.W.C
Raw Sample Relinquished by: A.P.W.C