

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB130554

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2283-01	EXCAV-SOIL-1	1	100.05	0.00	04/30/2024	11:00
2	P2283-03	EXCAV-SOIL-2	1	100.02	0.00	04/30/2024	11:08
3	P2307-02	WC-1	1	100.07	0.00	04/30/2024	11:15
4	P2307-05	WC-2	1	100.04	0.00	04/30/2024	11:22
5	P2307-08	WC-3	1	100.05	0.00	04/30/2024	11:30
6	P2309-01	TR-05-042924	1	100.02	0.00	04/30/2024	11:37
7	P2310-01	SU-02-042924	1	100.06	0.00	04/30/2024	11:45
8	P2310-03	SU-03-042924	1	100.04	0.00	04/30/2024	11:52
9	P2310-03DUP	SU-03-042924DUP	1	100.04	0.00	04/30/2024	12:00

66130554

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-4-29

WorkList ID : 179845

Department : Wet-Chemistry

Date : 04-29-2024 14:51:51

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2283-01	EXCAV-SOIL-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	04/26/2024	9095B
P2283-03	EXCAV-SOIL-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	04/26/2024	9095B
P2307-02	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	04/26/2024	9095B
P2307-05	WC-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	04/26/2024	9095B
P2307-08	WC-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	04/26/2024	9095B
P2309-01	TR-05-042924	Solid	Paint Filter	Cool 4 deg C	PSEG05	I31	04/29/2024	9095B
P2310-01	SU-02-042924	Solid	Paint Filter	Cool 4 deg C	PSEG05	I31	04/29/2024	9095B
P2310-03	SU-03-042924	Solid	Paint Filter	Cool 4 deg C	PSEG05	I31	04/29/2024	9095B

Date/Time 04/30/2024 10:50
Raw Sample Received by: RFI (WC)
Raw Sample Relinquished by: JAWBY

Date/Time 04/30/2024 12:15
Raw Sample Received by: JAWBY
Raw Sample Relinquished by: JAWBY (WC)