

16130564

Test results

Aquakem 7.2AQ1

Page: 1

CHEMTECH CONSULTING GROUP INC
284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : RM

Instrument ID : Konelab

4/30/2024 11:23

Test: TKN-NH3

Sample Id	Result	Dil. 1 +	Response	Errors
ICV1	4.886	0.0	1.420	
ICB1	0.027	0.0	0.016	
CCV1	4.992	0.0	1.451	
CCB1	0.031	0.0	0.017	
RL CHECK	0.481	0.0	0.147	
PB160606BL	0.027	0.0	0.016	
PB160606BS	4.962	0.0	1.442	
P2283-05	0.026	0.0	0.016	
P2283-05DUP	0.029	0.0	0.017	
P2283-05MS	4.956	0.0	1.440	
P2283-05MSD	4.965	0.0	1.443	
CCV2	5.029	0.0	1.461	
CCB2	0.036	0.0	0.019	

- 96% (50-150)
04/30/2024
RM

N 13
Mean 2.342
SD 2.5306
CV% 108.05

Aquakem v. 7.2AQ1

Results from time period:

Tue Apr 30 10:27:48 2024

Tue Apr 30 11:21:58 2024

Sample Id	Sam/Ctr/c/	Test short	Test type	Result	Result unit	Result date	Stat	Accept stat
0.0PPM	A	TKN-NH3	P	0.041	mg/l	45412.44		MA
0.5PPM	A	TKN-NH3	P	0.4983	mg/l	45412.44		MA
1.0PPM	A	TKN-NH3	P	0.9846	mg/l	45412.44		MA
2.5PPM	A	TKN-NH3	P	2.487	mg/l	45412.44		MA
5.0PPM	A	TKN-NH3	P	4.9879	mg/l	45412.44		MA
6.7PPM	A	TKN-NH3	P	6.6377	mg/l	45412.44		MA
10.0PPM	A	TKN-NH3	P	10.0303	mg/l	45412.44		MA
ICV1	S	TKN-NH3	P	4.8858	mg/l	45412.46		MA
ICB1	S	TKN-NH3	P	0.0274	mg/l	45412.46		MA
CCV1	S	TKN-NH3	P	4.9916	mg/l	45412.46		MA
CCB1	S	TKN-NH3	P	0.0312	mg/l	45412.46		MA
RL CHECK	S	TKN-NH3	P	0.4812	mg/l	45412.46		MA
PB160606BL	S	TKN-NH3	P	0.0267	mg/l	45412.46		MA
PB160606BS	S	TKN-NH3	P	4.9624	mg/l	45412.47		MA
P2283-05	S	TKN-NH3	P	0.0256	mg/l	45412.47		MA
P2283-05DUP	S	TKN-NH3	P	0.0288	mg/l	45412.47		MA
P2283-05MS	S	TKN-NH3	P	4.9564	mg/l	45412.47		MA
P2283-05MSD	S	TKN-NH3	P	4.9649	mg/l	45412.47		MA
CCV2	S	TKN-NH3	P	5.0287	mg/l	45412.47		MA
CCB2	S	TKN-NH3	P	0.0357	mg/l	45412.47		MA

CHEMTECH CONSULTING GROUP INC
284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : RM Instrument ID : Konelab

4/30/2024 10:36


Test TKN-NH3

Accepted 4/30/2024 10:36

Factor 3.461
Bias 0.008

Coeff. of det. 0.999952

Errors



	Calibrator	Response	Calc. con.	Conc.	Errors
1	0.00PPM	0.020	0.0410	0.0000	-
2	TKN-10	0.152	0.4983	0.5000	-0.3
3	TKN-10	0.293	0.9846	1.0000	-1.5
4	TKN-10	0.727	2.4870	2.5000	-0.5
5	TKN-10	1.450	4.9879	5.0000	-0.2
6	TKN-10	1.926	6.6377	6.6667	-0.4
7	TKN-10	2.906	10.0303	10.0000	0.3

04/30/2024
RM