

Analytical Summary Report

Analysis Method: 1030
Parameter: Ignitability
Run Number: LB130577

Reviewed By: Rubina
Supervisor Review By: Iwona

Seq	LabID	ClientID	DF	matrix	Result Status	Burning Rate	Anal Date	Anal Time
1	P2323-01	TP-1	1	Solid	NO	0.00	05/01/2024	14:40
2	P2323-01DUP	TP-1DUP	1	Solid	NO	0.00	05/01/2024	14:47
3	P2323-03	TP-1	1	Solid	NO	0.00	05/01/2024	14:55
4	P2323-04	TP-2	1	Solid	NO	0.00	05/01/2024	15:02
5	P2323-06	TP-2	1	Solid	NO	0.00	05/01/2024	15:10
6	P2323-07	TP-3	1	Solid	NO	0.00	05/01/2024	15:17
7	P2323-09	TP-3	1	Solid	NO	0.00	05/01/2024	15:25
8	P2330-01	B-1 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	15:32
9	P2330-03	D-1 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	15:40
10	P2330-05	F-1 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	15:47
11	P2330-07	H-1 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	15:55
12	P2330-09	C-2 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	16:02
13	P2330-11	E-2 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	16:10
14	P2330-13	G-2 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	16:17
15	P2330-15	C-3 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	16:25
16	P2330-17	F-3 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	16:32
17	P2330-19	E-4 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	16:40
18	P2330-21	H-4 (0.5-1.5)	1	Solid	NO	0.00	05/01/2024	16:47

Burning Rate = $\frac{\text{Length (mm)}}{\text{Total Time (sec)}}$

16130577

WORKLIST(Hardcopy Internal Chain)

WorkList Name : ign-501 WorkList ID : 179886 Department : Wet-Chemistry Date : 05-01-2024 08:59:54

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2323-01	TP-1	Solid	Ignitability	Cool 4 deg C	PSEG03	I31	04/30/2024	1030
P2323-03	TP-1	Solid	Ignitability	Cool 4 deg C	PSEG03	I31	04/30/2024	1030
P2323-04	TP-2	Solid	Ignitability	Cool 4 deg C	PSEG03	I31	04/30/2024	1030
P2323-06	TP-2	Solid	Ignitability	Cool 4 deg C	PSEG03	I31	04/30/2024	1030
P2323-07	TP-3	Solid	Ignitability	Cool 4 deg C	PSEG03	I31	04/30/2024	1030
P2323-09	TP-3	Solid	Ignitability	Cool 4 deg C	PSEG03	I31	04/30/2024	1030
P2330-01	B-1(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/29/2024	1030
P2330-03	D-1(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/29/2024	1030
P2330-05	F-1(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/29/2024	1030
P2330-07	H-1(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/29/2024	1030
P2330-09	C-2(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/30/2024	1030
P2330-11	E-2(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/30/2024	1030
P2330-13	G-2(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/29/2024	1030
P2330-15	C-3(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/30/2024	1030
P2330-17	F-3(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/30/2024	1030
P2330-19	E-4(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/30/2024	1030
P2330-21	H-4(0.5-1.5)	Solid	Ignitability	Cool 4 deg C	FIRS02	I31	04/29/2024	1030

Date/Time 05/01/2024 14:30
 Raw Sample Received by: Rm CWC
 Raw Sample Relinquished by: DKGCC

Date/Time 05/01/2024 17:00
 Raw Sample Received by: Rm CWC
 Raw Sample Relinquished by: Rm CWC