

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB130667

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	P2395-01	SP-DRIVEWAY	1	100.05	0.00	05/08/2024	09:40
2	P2395-04	SP-INSIDE-GATE	1	100.02	0.00	05/08/2024	09:47
3	P2398-01	WC-KK	1	100.06	0.00	05/08/2024	09:55
4	P2408-01	BIN-1	1	100.02	0.00	05/08/2024	10:02
5	P2408-03	ETGI-285	1	100.04	0.00	05/08/2024	10:10
6	P2411-01	WCS-TPA	1	100.04	0.00	05/08/2024	11:00
7	P2413-01	WC-CC	1	100.05	0.00	05/08/2024	11:07
8	P2413-05	WC-EE	1	100.06	0.00	05/08/2024	11:15
9	P2413-05DUP	WC-EEDUP	1	100.06	0.00	05/08/2024	11:22

WORKLIST(Hardcopy Internal Chain)

66130667

WorkList Name : PF-508

WorkList ID : 180090

Department : Wet-Chemistry

Date : 05-08-2024 08:26:31

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2395-01	SP-DRIVEWAY	Solid	Paint Filter	Cool 4 deg C	PSEG03	K11	05/06/2024	9095B
P2395-04	SP-INSIDE-GATE	Solid	Paint Filter	Cool 4 deg C	PSEG03	K11	05/06/2024	9095B
P2398-01	WC-KK	Solid	Paint Filter	Cool 4 deg C	PSEG03	K31	05/06/2024	9095B
P2408-01	BIN-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	K41	05/07/2024	9095B
P2408-03	ETGI-285	Solid	Paint Filter	Cool 4 deg C	PSEG03	K41	05/07/2024	9095B
P2411-01	WCS-TPA	Solid	Paint Filter	Cool 4 deg C	PSEG03		05/06/2024	9095B
P2413-01	WC-CC	Solid	Paint Filter	Cool 4 deg C	PSEG03	K31	05/07/2024	9095B
P2413-05	WC-EE	Solid	Paint Filter	Cool 4 deg C	PSEG03	K31	05/07/2024	9095B

Date/Time 05/08/2024 08.56
 Raw Sample Received by: RA CWC
 Raw Sample Relinquished by: RA CWC

Date/Time 05/08/2024 11:35
 Raw Sample Received by: RA CWC
 Raw Sample Relinquished by: RA CWC