

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/13/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 05/10/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:14
Out Date: 05/14/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130709

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2440-01	DNALP-SLUDGE	1	1.00	1.00	2.00	2.00	100.0	oil sample
P2444-01	WC-DD	2	1.15	8.82	9.97	8.85	87.3	
P2444-02	WC-DD-E2	3	1.17	8.60	9.77	8.32	83.1	
P2444-03	WC-DD-VOC	4	1.12	8.67	9.79	8.38	83.7	
P2448-05	SVOC-GPC-BLANK	5	1.00	1.00	2.00	2.00	100.0	
P2448-06	PEST-GPC-BLANK	6	1.00	1.00	2.00	2.00	100.0	
P2448-07	PEST-GPC-BLANK-SPIKE	7	1.00	1.00	2.00	2.00	100.0	
P2448-08	PCB-GPC-BLANK	8	1.00	1.00	2.00	2.00	100.0	
P2448-09	PCB-GPC-BLANK-SPIKE	9	1.00	1.00	2.00	2.00	100.0	
P2448-10	SVOC-GPC2-BLANK	10	1.00	1.00	2.00	2.00	100.0	
P2448-11	PEST-GPC2-BLANK	11	1.00	1.00	2.00	2.00	100.0	
P2448-12	PEST-GPC2-BLANK-SPIKE	12	1.00	1.00	2.00	2.00	100.0	
P2448-13	PCB-GPC-BLANK	13	1.00	1.00	2.00	2.00	100.0	
P2448-14	PCB-GPC2-BLANK-SPIKE	14	1.00	1.00	2.00	2.00	100.0	
P2453-01	MIXED-DEMO	15	1.13	8.62	9.75	9.72	99.7	
P2456-01	60176	16	1.00	1.00	2.00	2.00	100.0	wipe sample
P2456-02	60177	17	1.00	1.00	2.00	2.00	100.0	wipe sample
P2456-03	60178	18	1.00	1.00	2.00	2.00	100.0	wipe sample
P2456-04	60179	19	1.00	1.00	2.00	2.00	100.0	wipe sample
P2456-05	60180	20	1.00	1.00	2.00	2.00	100.0	wipe sample
P2456-06	60181	21	1.00	1.00	2.00	2.00	100.0	wipe sample
P2457-01	34753	22	1.00	1.00	2.00	2.00	100.0	wipe sample
P2457-02	34754	23	1.00	1.00	2.00	2.00	100.0	wipe sample
P2458-01	34788	24	1.00	1.00	2.00	2.00	100.0	wipe sample
P2458-02	34787	25	1.00	1.00	2.00	2.00	100.0	wipe sample
P2458-03	34786	26	1.16	8.45	9.61	9.31	96.4	
P2458-04	34733	27	1.00	1.00	2.00	2.00	100.0	debris

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$