

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB130711

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2422-01	WCS-TP-D	1	100.06	0.00	05/10/2024	09:40
2	P2422-01DUP	WCS-TP-DDUP	1	100.05	0.00	05/10/2024	09:47
3	P2422-05	WCS-TP-F	1	100.03	0.00	05/10/2024	09:55
4	P2423-01	WC-GG	1	100.02	0.00	05/10/2024	10:02
5	P2423-05	WC-HH	1	100.05	0.00	05/10/2024	10:10
6	P2437-01	359	1	100.02	0.00	05/10/2024	10:17
7	P2444-01	WC-DD	1	100.07	0.00	05/10/2024	10:25

WORKLIST(Hardcopy Internal Chain)

26130711

WorkList Name : PF-5-9 WorkList ID : 180116 Department : Wet-Chemistry Date : 05-09-2024 09:26:36

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2422-01	WCS-TP-D	Solid	Paint Filter	Cool 4 deg C	PSEG03	K41	05/08/2024	9095B
P2422-05	WCS-TP-F	Solid	Paint Filter	Cool 4 deg C	PSEG03	K41	05/08/2024	9095B
P2423-01	WC-GG	Solid	Paint Filter	Cool 4 deg C	PSEG03	K41	05/08/2024	9095B
P2423-05	WC-HH	Solid	Paint Filter	Cool 4 deg C	PSEG03	K41	05/08/2024	9095B
P2437-01	359	Solid	Paint Filter	Cool 4 deg C	PSEG03	K41	05/09/2024	9095B
P2444-01	WC-DD	Solid	Paint Filter	Cool 4 deg C	PSEG03	L12	05/09/2024	9095B

Date/Time 05/10/2024 0930
 Raw Sample Received by: RM GWC
 Raw Sample Relinquished by: 20/6/2024

Date/Time 05/10/2024 10:40
 Raw Sample Received by: 20/6/2024
 Raw Sample Relinquished by: RM GWC