

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Niha

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB130753

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P2466-01	OR-03-051324	1	100.01	0.00	05/14/2024	09:30
2	P2466-01DUP	OR-03-051324DUP	1	100.01	0.00	05/14/2024	09:38
3	P2467-01	HD-02-051324	1	100.02	0.00	05/14/2024	09:46
4	P2468-01	WC-MH-II	1	100.01	0.00	05/14/2024	09:54
5	P2469-01	MH-A	1	100.04	0.00	05/14/2024	10:04
6	P2470-01	WCS-TPG	1	100.03	0.00	05/14/2024	10:12

WORKLIST(Hardcopy Internal Chain)

66130753

WorkList Name : pf-5-14

WorkList ID : 180222

Department : Wet-Chemistry

Date : 05-14-2024 08:13:26

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P2466-01	OR-03-051324	Solid	Paint Filter	Cool 4 deg C	PSEG05	K31	05/13/2024	9095B
P2467-01	HD-02-051324	Solid	Paint Filter	Cool 4 deg C	PSEG05	K31	05/13/2024	9095B
P2468-01	WC-MH-II	Solid	Paint Filter	Cool 4 deg C	PSEG03	K31	05/13/2024	9095B
P2469-01	MH-A	Solid	Paint Filter	Cool 4 deg C	PSEG03	K31	05/10/2024	9095B
P2470-01	WCS-TPG	Solid	Paint Filter	Cool 4 deg C	PSEG03	K31	05/13/2024	9095B

Date/Time 05-14-2024, 9:00

Raw Sample Received by: NF(wc)

Raw Sample Relinquished by: Jd wll

Date/Time 05-14-2024, 10:30

Raw Sample Received by: Jd wll

Raw Sample Relinquished by: NF(wc)