

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/20/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 13:35
In Date: 05/17/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 05/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130817

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2484-01	BH9P8	1	1.19	8.66	9.85	8.98	90.0	
P2484-02	BH9Q3	2	1.12	8.61	9.73	8.76	88.7	
P2484-03	BH9S2	3	1.19	8.41	9.6	8.81	90.6	
P2484-04	BH9S3	4	1.16	8.50	9.66	8.19	82.7	
P2484-05	BH9T2	5	1.15	8.82	9.97	8.83	87.1	
P2484-06	BH9T3	6	1.11	8.77	9.88	8.56	84.9	
P2484-07	BH9X8	7	1.18	8.53	9.71	8.84	89.8	
P2484-10	VHBLK002	8	1.00	1.00	2.00	2.00	100.0	vhblk
P2484-11	BH9P9	9	1.16	8.42	9.58	8.59	88.2	
P2484-12	BH9Q2	10	1.18	8.61	9.79	8.29	82.6	
P2484-13	BH9Q4	11	1.13	8.60	9.73	7.58	75.0	
P2484-14	BH9Q4MS	12	1.13	8.60	9.73	7.58	75.0	
P2484-15	BH9Q4MSD	13	1.13	8.60	9.73	7.58	75.0	
P2484-16	BH9S4	14	1.14	8.61	9.75	8.58	86.4	
P2484-17	BH9S5	15	1.16	8.61	9.77	8.85	89.3	
P2484-18	BH9T0	16	1.19	8.55	9.74	8.89	90.1	
P2484-19	BH9T1	17	1.14	8.85	9.99	8.56	83.8	
P2484-21	BH9Q0	18	1.15	8.53	9.68	9.14	93.7	
P2484-22	BH9Q1	19	1.12	8.45	9.57	8.75	90.3	
P2484-23	BH9S6	20	1.17	8.53	9.7	8.78	89.2	
P2484-24	BH9S7	21	1.15	8.40	9.55	8.53	87.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$