

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/22/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 15:45
In Date: 05/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 05/22/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130855

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2547-01	BH5N9	1	1.13	8.56	9.69	7.4	73.2	
P2547-02	BH5P0	2	1.19	8.55	9.74	7.38	72.4	
P2547-03	BH5P1	3	1.15	8.61	9.76	8.09	80.6	
P2547-04	BH5P2	4	1.16	8.50	9.66	8.26	83.5	
P2547-05	BH5P3	5	1.18	8.45	9.63	8.38	85.2	
P2547-06	BH5P9	6	1.13	8.70	9.83	7.87	77.5	
P2547-07	BH5Q0	7	1.12	8.75	9.87	8.12	80.0	
P2547-08	BH5Q1	8	1.12	8.50	9.62	8.15	82.7	
P2547-09	BH5Q2	9	1.19	8.77	9.96	8.62	84.7	
P2547-10	BH5Q3	10	1.18	8.33	9.51	8.2	84.3	
P2547-11	BH5W8	11	1.14	8.81	9.95	8.21	80.2	
P2547-12	BH5W9	12	1.18	8.72	9.9	8.56	84.6	
P2547-13	BH5X0	13	1.13	8.59	9.72	8.32	83.7	
P2547-14	BH5X1	14	1.15	8.82	9.97	9.06	89.7	
P2547-15	BH5X2	15	1.19	8.73	9.92	8.75	86.6	
P2547-16	BH5X3	16	1.15	8.55	9.7	7.91	79.1	
P2547-17	BH5X4	17	1.13	8.64	9.77	8.07	80.3	
P2547-18	BH5X5	18	1.17	8.57	9.74	8.46	85.1	
P2547-19	BH5X5MS	19	1.17	8.57	9.74	8.46	85.1	
P2547-20	BH5X5MSD	20	1.17	8.57	9.74	8.46	85.1	
P2547-21	BH5X6	21	1.18	8.43	9.61	8.27	84.1	
P2547-22	BH5X7	22	1.13	8.80	9.93	8.72	86.3	
P2547-23	VHBLK001	23	1.00	1.00	2.00	2.00	100.0	vhblk

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$