

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/22/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:50
In Date: 05/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 05/22/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB130868

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2548-01	BH5X8	1	1.19	8.61	9.8	8.09	80.1	
P2548-02	BH5X9	2	1.13	8.84	9.97	8.33	81.4	
P2548-03	BH5Y0	3	1.12	8.70	9.82	8.16	80.9	
P2548-04	BH5Y1	4	1.13	8.84	9.97	8.29	81.0	
P2548-05	BH5Y2	5	1.14	8.63	9.77	8.25	82.4	
P2548-06	BH5Y3	6	1.16	8.51	9.67	8.53	86.6	
P2548-07	BH5Y4	7	1.13	8.52	9.65	7.96	80.2	
P2548-08	BH5Y5	8	1.12	8.51	9.63	8.42	85.8	
P2548-09	BH5Y6	9	1.14	8.78	9.92	8.51	83.9	
P2548-10	BH5Y7	10	1.14	8.61	9.75	8.88	89.9	
P2548-11	BH608	11	1.15	8.49	9.64	8.65	88.3	
P2548-12	BH609	12	1.13	8.63	9.76	7.7	76.1	
P2548-13	BH610	13	1.11	8.78	9.89	8.09	79.5	
P2548-14	BH610MS	14	1.11	8.78	9.89	8.09	79.5	
P2548-15	BH610MSD	15	1.11	8.78	9.89	8.09	79.5	
P2548-16	BH611	16	1.15	8.71	9.86	8.5	84.4	
P2548-17	BH612	17	1.18	8.45	9.63	8.63	88.2	
P2548-18	BH613	18	1.15	8.81	9.96	8.38	82.1	
P2548-19	BH614	19	1.19	8.51	9.7	8.3	83.5	
P2548-20	BH615	20	1.15	8.82	9.97	7.99	77.6	
P2548-21	BH616	21	1.13	8.85	9.98	8.57	84.1	
P2548-22	BH617	22	1.15	8.82	9.97	8.69	85.5	
P2548-23	VHBLK001	23	1.00	1.00	2.00	2.00	100.0	vhblk

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$