

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 5/22/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 17:50
In Date: 05/21/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 05/22/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLIDS-OVEN

QC:LB130869

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
P2551-01	MBH5Y3	1	1.16	8.51	9.67	8.53	86.6	
P2551-02	MBH5Y4	2	1.13	8.52	9.65	7.96	80.2	
P2551-03	MBH5Y5	3	1.12	8.51	9.63	8.42	85.8	
P2551-04	MBH5Y6	4	1.14	8.78	9.92	8.51	83.9	
P2551-05	MBH5Q0	5	1.12	8.38	9.5	7.87	80.5	
P2551-06	MBH5Q1	6	1.16	8.40	9.56	8.33	85.4	
P2551-07	MBH5Q2	7	1.13	8.56	9.69	8.48	85.9	
P2551-08	MBH5Q3	8	1.14	8.41	9.55	8.42	86.6	
P2551-09	MBH5Y7	9	1.14	8.61	9.75	8.88	89.9	
P2551-10	MBH608	10	1.15	8.49	9.64	8.65	88.3	
P2551-11	MBH609	11	1.13	8.63	9.76	7.7	76.1	
P2551-12	MBH610	12	1.11	8.78	9.89	8.09	79.5	
P2551-13	MBH610D	13	1.11	8.78	9.89	8.09	79.5	
P2551-14	MBH610S	14	1.11	8.78	9.89	8.09	79.5	
P2551-15	MBH611	15	1.15	8.71	9.86	8.5	84.4	
P2551-16	MBH612	16	1.18	8.45	9.63	8.63	88.2	
P2551-17	MBH630	17	1.12	8.66	9.78	8.12	80.8	
P2551-18	MBH5P9	18	1.17	8.50	9.67	7.73	77.2	
P2551-19	MBH613	19	1.15	8.81	9.96	8.38	82.1	
P2551-20	MBH614	20	1.19	8.51	9.7	8.3	83.5	
P2551-21	MBH615	21	1.15	8.82	9.97	7.99	77.6	
P2551-22	MBH616	22	1.13	8.85	9.98	8.57	84.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$